Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19820	(707/1,3,10,100,102).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 09:33
L2	6151	(709/203).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 09:33
L3	25181	1 or 2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:34
L4	337	non-rdms or non-relational near database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:37
L5	122	3 and 4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:37
L6	6945097	view or (database near view) or mini-view	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:38
L7	8	MINI-INDEX	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:38
L8	503685	sort\$3 or categor\$5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:40

L9	3292	client/server and cache	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	OR	ON	2006/02/16 09:40
L10	6732777	(set or group or (first near set) and (second near set))	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2006/02/16 09:43
L11	99	5 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:50
L12	78	11 and 6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:44
L13	13	12 and 9	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:45
L14	13	13 and 10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:46
L15	0	14 and 7	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:45
L16	8	7	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:49

L17	2770 44 7	index\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:49
L18	532838	17 and 6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:50
L19	396754	18 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:07
L20	110	19 and 4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:51
L21	88	20 and 8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:52
L22	36	21 and 9	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 09:57
L23	52	21 not 22	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:06
L24	1936	database near view	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:07

L25	1564	24 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:11
L26	32	25 and 4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:07
L27	12	26 and 17	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:08
L28	20	26 not 27	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:10
L29	105	6 and 17 and 4 and 8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:10
L30	88	29 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:15
L31	5751	index\$4 near2 column\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:12
L32	9	30 and 31	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:16

L33	2594	sorting near2 view\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:17
L34	696	sorting near2 database nearview\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:17
L35	2	sorting near2 database near view\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 10:18
L36	26	"database view".ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:11
L37	. 23	36 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:05
L38	922210	view same (sort\$4 or categor\$4 or order\$3 or group\$4 or classif\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:04
L39	47520	view near3 (sort\$4 or categor\$4 or order\$3 or group\$4 or classif\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:05
L40	33221	39 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:05

L41	70	(database near view) near3 (sort\$4 or categor\$4 or order\$3 or group\$4 or classif\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:05
L42	0	41 and succategor\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:06
L43	0	41 and sbcategor\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:06
L44	1	41 and subcategor\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:08
L45	1	44 and view	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:08
L46	1	30 and subcategor\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:14
L47	816	"database view"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:14
L48	6945097	"view"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:14

L49	646	47 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	OR	ON	2006/02/16 11:18
L50	361	49 and 8	US-PGPUB; USPAT; USOCR; EPO;	OR	ON	2006/02/16 11:15
			DERWENT; IBM_TDB			
L51	11	50 and (subcategor\$2 or sub-categor\$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:15
L52	11	51 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:16
L53	52180	view.clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:17
L54	519	53 and sorting.clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:17
L55	62	54 and (mark\$3 or flag).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:17
L56	43	55 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:20

L57	21	56 and (database).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:20
L58	0	"datbase view".clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:20
L59	0	"datbase view""clm."	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:20
L60	0	"datbase view".clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:20
L61	106	"database view".clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:20
L62	77	61 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:09
L63	38	"5293615"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:36
L64	6	"5734889"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:36

L65	8	"5953730"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:36
L66	9	"5966716"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:36
L67	5	"6604095"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:36
L68	3	"6757867"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:37
L69	60	63 or 64 or 65 or 66 or 67 or 68	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:38
L70	12	(("5293615") or ("5734889") or ("5953730") or ("5966716") or ("6604095") or ("6757867")).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 11:51
L71	0	("70andview").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 11:41
L72	1	70 and view	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:41

L73	0	("viewnear(catogor\$4)").PN.	US-PGPUB; USPAT;	OR	OFF	2006/02/16 11:52
			USOCR; EPO; DERWENT; IBM_TDB			
L74	1215	view near2 categor\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:52
L75	911	74 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:56
L76	407	75 and index\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:52
L77	106	76 and cache	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:53
L78	98	77 and (mark\$4 or flag\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:54
L79	26	78 and database near3 view\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:54
L80	26	78 and (database near3 view\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:56

L81	2534	(database near view\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:56
L82	2037	81 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:59
L83	431	82 and (view near3 (sort\$3 or order\$3 or group\$3 or categor\$7 or classif\$5))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 11:58
L84	82	83 and (column\$2 near4 (mark\$4 or flag\$4 or indicat\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:59
L85	816	"database view"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 12:59
L86	646	85 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:37
L87	33	4 and ((group\$4 or categor\$4 or order\$3 or sort\$3) near2 column\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:07
L88	72	86 and ((group\$4 or categor\$4 or order\$3 or sort\$3) near2 column\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:36

L89	26	"database view".ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:36
L90	23230	"view".ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:37
L91	23	89 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 13:37
L92	5	7 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:13
L93	4	92 and view	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:11
L94	1635	view near indexing	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:11
L95	1009	94 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:27
L96	98	95 and 8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:14

L97	98	96 and 6	US-PGPUB;	OR	ON	2006/02/16 14:24
			USPAT; USOCR; EPO; DERWENT; IBM_TDB			
L98	10	mini-view	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:16
L99	759631	97 ad 98	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:16
L100	0	97 and 98	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:16
L101	3	sorting near colums	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:25
L102	307	sorting near columns	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:26
L103	217	102 and view	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:26
L104	120	103 and @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:28